

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) An image data transmitting/receiving system comprising a mobile phone terminal provided with the following components (A1) through (A5) and a server provided with the following components (B1) through (B4):

(A1) an information display screen on which information is displayed,

(A2) a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen,

(A3) a terminal-side symbol image data storage means that stores symbol image data which are used in creating display images partly constituting specific graphic symbols and arranged on the information display screen,

(A4) a symbol image data transmission request information transmitting means that transmits symbol image data transmission requests for the transmission of symbol image data stored in the server and the resolution related information to the server,

(A5) a symbol image data receiving means that receives the symbol image data transmitted from the server,

(B1) a server-side symbol image data storage means that stores the symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal,

(B2) a symbol image data transmission request information receiving means that receives the symbol image data transmission request information and the resolution related information, which are transmitted from the mobile phone terminal,

(B3) a terminal resolution discrimination means that discriminates the symbol image data transmitted to the mobile phone terminal on the basis of the resolution related information received, and

(B4) a symbol image data transmitting means that transmits the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal.

2. (Original) An image data transmitting/receiving system according to Claim 1, comprising the mobile phone terminal provided with the following components (A6) through (A10) and the server provided with the following components (B5) through (B7):

(A6) a terminal-side image data identification information storage means that stores the terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

(A7) an identification information transmission request information transmitting means that transmits server-side image data identification information transmission requests for the server to transmit server-side image data identification information constituting identification information of the symbol image data stored in the server, before creating images displayed on the information display screen,

(A8) a server-side image data identification information receiving means that receives the server-side image data identification information transmitted from the server,

(A9) a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the server-side image data identification information and the terminal-side image data identification information received,

(A10) the symbol image data transmission request information transmitting means that transmits the symbol image data transmission request information and the resolution related information to the server, when the symbol image data stored in the mobile phone terminal are determined as not being the latest data,

(B5) a server-side image data identification information storage means that stores the server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

(B6) a server-side image data identification information transmission request information receiving means that receives the server-side image data identification information transmission requests transmitted from the mobile phone terminal, and

(B7) a server-side image data identification information transmitting means that transmits the server-side image data identification information upon receiving the server-side image data identification information transmission request.

3. (Original) An image data transmitting/receiving system according to Claim 1, comprising the mobile phone terminal provided with the following components (A6), (A11), and (A12), and the server provided with the following components (B5), and (B8) through (B11):

(A6) a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

(A11) the symbol image data transmission request information transmitting means that transmits, before creating images displayed on the information display screen, the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information to the server,

(A12) a latest data notice information receiving means that receives notice of information on latest data indicating that the symbol image data stored in the terminal-side symbol image data storage means are the latest data,

(B5) a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

(B8) the symbol image data transmission request information receiving means that receives the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information, which are transmitted from the mobile phone terminal,

(B9) a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the terminal-side image data identification information and the server-side image data identification information received,

(B10) a latest data notice information transmitting means that transmits the notice of information on latest data and does not transmit the symbol image data stored in the server to the mobile phone terminal, when it is determined that the symbol image data stored in the mobile phone terminal are the latest data, and

(B11) the terminal resolution discrimination means that discriminates the transmitted symbol image data on the basis of the resolution related information received, when the symbol image data stored in the mobile phone terminal is determined as not being the latest data.

4. (Currently Amended) An image data transmitting/receiving system according to ~~any of Claims~~ Claim 1 to 3, comprising the server provided with the following component (B12) and the mobile phone terminal provided with the following components (A13) and (A14):

(B12) a map information transmitting means that transmits to the mobile phone terminal, map information including symbol image specifying information that specifies the symbol images and location information that specifies locations where the specified symbol images are laid out,

(A13) a map information receiving means that receives the map information transmitted from the server, and

(A14) a map image creation means that creates map images as the display images arranged on the information display screen, on the basis of map information and the symbol image data of the symbol images as map symbol images.

5. (Original) An image data transmitting/receiving system comprising a mobile phone terminal provided with the following components (C1) through (C4) and a server provided with the following components (D1) through (D5):

(C1) an information display screen on which information is displayed,

(C2) a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen,

(C3) a display image data transmission request information transmitting means that transmits display image data transmission requests for transmission of the display images arranged on the information display screen and the resolution related information to the server,

(C4) a display image data receiving means that receives display image data transmitted from the server,

(D1) a server-side symbol image data storage means that stores symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal, which are used to create the display images partly constituting the symbol images constituting specific graphic symbols,

(D2) a display image data transmission request information receiving means that receives the display image data transmission requests and the resolution related information, which are transmitted from the mobile phone terminal,

(D3) a terminal resolution discrimination means that discriminates the symbol image data in correspondence with the resolution of the information display screen, on the basis of the resolution related information received,

(D4) a display image creation means that creates the display images arranged on the information display screen of the mobile phone terminal, using the symbol image data which is discriminated by the terminal resolution discrimination means, in correspondence with the resolution of the information display screen, and

(D5) a display image data transmitting means that transmits the display image data constituting the data of created display images.

6. (Original) A server capable of transmitting to and receiving image data from a mobile phone terminal comprising:

an information display screen on which information is displayed,

a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen,

a terminal-side symbol image data storage means that stores symbol image data, which are used in creating display images partly constituting specific graphic symbols to be arranged on the information display screen, which represent symbol images,

a symbol image data transmission request information transmitting means that transmits symbol image data transmission requests for the transmission of the symbol image data stored in the server and the resolution related information to the server, and

a symbol image data receiving means that receives the symbol image data transmitted from the server,

wherein the server comprises the following components (B1) through (B4):

(B1) a server-side symbol image data storage means that stores the symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal,

(B2) a symbol image data transmission request information receiving means that receives the symbol image data transmission requests and the resolution related information which are transmitted from the mobile phone terminal,

(B3) a terminal resolution discrimination means that discriminates the symbol image data transmitted to the mobile phone terminal on the basis of the resolution related information received, and

(B4) a symbol image data transmitting means that transmits the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal.

7. (Original) A server according to Claim 6, capable of transmitting to and receiving image data from a mobile phone terminal comprising:

a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

an identification information transmission request information transmitting means that transmits server-side image data identification information transmission requests for the server to transmit server-side image data identification information constituting

identification information of the symbol image data stored in the server, before creating images displayed on the information display screen,

a server-side image data identification information receiving means that receives the server-side image data identification information transmitted from the server,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the server-side image data identification information and the terminal-side image data identification information received, and

the symbol image data transmission request information transmitting means that transmits the symbol image data transmission request information and the resolution related information to the server when the symbol image data stored in the mobile phone terminal are determined as not being the latest data ,

wherein the server comprises the following components (B5) through (B7):

(B5) a server-side image data identification information storage means that stores the server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

(B6) a server-side image data identification information transmission request information receiving means that receives the server-side image data identification information transmission requests transmitted from the mobile phone terminal, and

(B7) a server-side image data identification information transmitting means that transmits the server-side image data identification information, upon receiving the server-side image data identification information transmission requests.

8. (Original) A server according to Claim 6, capable of transmitting to and receiving image data from a mobile phone terminal comprising:

a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

the symbol image data transmission request information transmitting means that transmits the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information to the server, before creating images displayed on the information display screen, and

a latest data notice information receiving means that receives notice of information on the latest data indicating that the symbol image data stored in the terminal-side symbol image data storage means are the latest data,

wherein the server comprises the following components (B5), and (B8) through (B11):

(B5) a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

(B8) the symbol image data transmission request information receiving means that receives the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information which are transmitted from a mobile phone terminal,

(B9) a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the terminal-side image data identification information and the server-side image data identification information received,

(B10) a latest data notice information transmitting means that transmits the notice of information on the latest data and does not transmit the symbol image data stored in the server to the mobile phone terminal, when it is determined that the symbol image data stored in the mobile phone terminal are the latest data, and

(B11) the terminal resolution discrimination means that discriminates the transmitted symbol image data on the basis of the resolution related information received, when it is determined that the symbol image data stored in the mobile phone terminal are not the latest data.

9. (Original) A mobile phone terminal capable of transmitting to and receiving image data from a server comprising:

a server-side symbol image data storage means that stores symbol image data which are used in creating display images partly constituting specific graphic symbols arranged on the information display screen of the mobile phone terminal in correspondence with the resolution of the information display screen,

a symbol image data transmission request information receiving means that receives symbol image data transmission requests to transmit the symbol image data stored in the server and resolution related information pertinent to the resolution of the information display screen,

a terminal resolution discrimination means that discriminates the symbol image data transmitted to the mobile phone terminal on the basis of the resolution related information received, and

a symbol image data transmitting means that transmits the symbol image data which is discriminated by the terminal resolution discrimination means, in correspondence with the resolution of the information display screen of the mobile phone terminal,

wherein the mobile phone terminal comprises the following components (A1) through (A5):

(A1) the information display screen,

(A2) a resolution related information storage means that stores the resolution related information,

(A3) a terminal-side symbol image data storage means that stores the symbol image data,

(A4) a symbol image data transmission request information transmitting means that transmits the symbol image data transmission requests and the resolution related information, and

(A5) a symbol image data receiving means that receives the symbol image data transmitted from the server.

10. (Original) A mobile phone terminal according to Claim 9, capable of transmitting to and receiving image data from a server comprising:

a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

a server-side image data identification information transmission request information receiving means that receives server-side image data identification information transmission requests transmitted from the mobile phone terminal for transmission of the server-side image data identification information, and

a server-side image data identification information transmitting means that transmits the server-side image data identification information upon receiving the server-side image data identification information transmission request,

wherein the mobile phone terminal comprises the following components (A6) through (A10):

(A6) a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

(A7) an identification information transmission request information transmitting means that transmits the server-side image data identification information transmission requests to the server, before creating images displayed on the information display screen,

(A8) a server-side image data identification information receiving means that receives the server-side image data identification information transmitted from the server,

(A9) a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the server-side image data identification information and the terminal-side image data identification information received, and

(A10) the symbol image data transmission request information transmitting means that transmits the symbol image data transmission request information and the resolution related information to the server, when the symbol image data stored in the mobile phone terminal are determined as not being the latest data.

11. (Original) A mobile phone terminal according to Claim 9, capable of transmitting to and receiving image data from a server comprising:

a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

the symbol image data transmission request information receiving means that receives the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means, which are transmitted from the mobile phone terminal,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the terminal-side image data identification information and the server-side image data identification information received,

a latest data notice information transmitting means that transmits notice of information on the latest data indicating that the symbol image data stored in the terminal-side symbol image data storage means are the latest and does not transmit the symbol image data stored in the server to the mobile phone terminal, when the symbol image data stored in the mobile phone terminal are determined as being the latest,, and

the terminal resolution discrimination means that discriminates the transmitted symbol image data on the basis of the resolution related information received, when the symbol image data stored in the mobile phone terminal are determined as not being the latest,

wherein the mobile phone terminal comprises the following components (A6), (A11), and (A12):

(A6) the terminal-side image data identification information storage means that stores the terminal-side image data identification information,

(A11) the symbol image data transmission request information transmitting means that transmits the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information to the server, before creating images displayed on the information display screen,

(A12) a latest data notice information receiving means that receives notice of information on the latest data indicating that the symbol image data stored in the terminal-side symbol image data storage means are the latest data.

12. (Original) A server capable of transmitting to and receiving image data from a mobile phone terminal comprising:

an information display screen on which information is displayed,

a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen,

a display image data transmission request information transmitting means that transmits display image data transmission requests for transmission of the display images arranged on the information display screen and the resolution related information to the server, and

a display image data receiving means that receives display image data transmitted from the server,

wherein the server comprises the following components (D1) through (D5):

(D1) a server-side symbol image data storage means that stores symbol image data which are used to create the display images partly constituting specific graphic symbols, in correspondence with the resolution of the information display screen of the mobile phone terminal,

(D2) a display image data transmission request information receiving means that receives the display image data transmission requests and the resolution related information, which are transmitted from the mobile phone terminal,

(D3) a terminal resolution discrimination means that discriminates the symbol image data in correspondence with the resolution of the information display screen, on the basis of the resolution related information received,

(D4) a display image creation means that creates the display images arranged on the information display screen of the mobile phone terminal, using the symbol image

data which is discriminated by the terminal resolution discrimination means, in
correspondence with the resolution of the information display screen, and

(D5) a display image data transmitting means that transmits display image data
constituting the data of created display images.

13. (Original) A mobile phone terminal capable of transmitting to and receiving
image data from a server comprising:

a server-side symbol image data storage means that stores symbol image data
which are used to create the display images partly constituting specific graphic symbols
arranged in correspondence with the resolution of the information display screen of the
mobile phone terminal,

a display image data transmission request information receiving means that
receives display image data transmission requests for transmission of the display
images arranged on the information display screen and resolution related information
pertinent to the resolution of the information display screen,

a terminal resolution discrimination means that discriminates the symbol image
data in correspondence with the resolution of the information display screen, on the
basis of the resolution related information received,

a display image creation means that creates the display images arranged on the
information display screen of the mobile phone terminal, using the symbol image data
which is discriminated by the terminal resolution discrimination means in
correspondence with the resolution of the information display screen, and

a display image data transmitting means that transmits display image data constituting the data of created display images,

wherein the mobile phone terminal comprises the following components (C1) through (C4):

(C1) the information display screen on which information is displayed,

(C2) a resolution related information storage means that stores the resolution related information pertinent to the resolution of the information display screen,

(C3) a display image data transmission request information transmitting means that transmits the display image data transmission requests for transmission of the display images arranged on the information display screen and the resolution related information to the server, and

(C4) a display image data receiving means that receives the display image data transmitted from the server.

14. (Original) A program that runs on a computer included in a server capable of transmitting to and receiving image data from a mobile phone terminal comprising:

an information display screen on which information is displayed,

a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen,

a terminal-side symbol image data storage means that stores symbol image data which are used to create display images partly constituting specific graphic symbols to be arranged on the information display screen,

a symbol image data transmission request information transmitting means that transmits symbol image data transmission requests to transmit the symbol image data stored in the server and the resolution related information to the server, and

a symbol image data receiving means that receives the symbol image data transmitted from the server,

wherein the program causes the computer to function as:

a server-side symbol image data storage means that stores the symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal,

a symbol image data transmission request information receiving means that receives the symbol image data transmission requests and the resolution related information which are transmitted from the mobile phone terminal,

a terminal resolution discrimination means that discriminates the symbol image data transmitted to the mobile phone terminal on the basis of the resolution related information received, and

a symbol image data transmitting means that transmits the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal.

15. (Original) A program according to Claim 14, that runs on a computer included in a server capable of transmitting to and receiving image data from a mobile phone terminal comprising:

a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

an identification information transmission request information transmitting means that transmits server-side image data identification information transmission requests for the server to transmit server-side image data identification information constituting identification information of the symbol image data stored in the server, before creating images displayed on the information display screen,

a server-side image data identification information receiving means that receives the server-side image data identification information transmitted from the server,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data on the basis of the received server-side image data identification information and the terminal-side image data identification information, and

the symbol image data transmission request information transmitting means that transmits the symbol image data transmission request information and the resolution related information to the server when the symbol image data stored in the mobile phone terminal are determined as not being the latest data,

wherein the program causes the computer to function as:

a server-side image data identification information storage means that stores the server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

a server-side image data identification information transmission request
information receiving means that receives the server-side image data identification
information transmission request information transmitted from the mobile phone
terminal, and

a server-side image data identification information transmitting means that
transmits the server-side image data identification information, upon receiving the
server-side image data identification information transmission requests.

16. (Original) A program according to Claim 14, that runs on a computer
included in a server capable of transmitting to and receiving image data from a mobile
phone terminal comprising:

a terminal-side image data identification information storage means that stores
terminal-side image data identification information constituting identification information
of the symbol image data stored in the terminal-side symbol image data storage means,

the symbol image data transmission request information transmitting means that
transmits the symbol image data transmission requests, the resolution related
information, and the terminal-side image data identification information to the server,
before creating images displayed on the information display screen, and

a latest data notice information receiving means that receives notice of
information on the latest data indicating that the symbol image data stored in the
terminal-side symbol image data storage means are the latest data,

wherein the program causes the computer to function as:

a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

the symbol image data transmission request information receiving means that receives the symbol image data transmission requests, the resolution related information, and the terminal-side image data identification information which are transmitted from the mobile phone terminal,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the terminal-side image data identification information and the server-side image data identification information received,

a latest data notice information transmitting means that transmits the notice of information on the latest data and does not transmit the symbol image data stored in the server to the mobile phone terminal, when the symbol image data stored in the mobile phone terminal have been determined as being the latest data, , and

the terminal resolution discrimination means that discriminates the transmitted symbol image data on the basis of the resolution related information received, when the symbol image data stored in the mobile phone terminal have been determined as not being the latest.

17. (Original) A program that runs on a computer included in a mobile phone terminal capable of transmitting to and receiving image data from a server comprising:

a server-side symbol image data storage means that stores symbol image data which are used to create the display images partly constituting specific graphic symbols arranged on the information display screen of the mobile phone terminal in correspondence with the resolution of the information display screen of the mobile phone terminal, ,

a symbol image data transmission request information receiving means that receives symbol image data transmission requests to transmit the symbol image data stored in the server and resolution related information pertinent to the resolution of the information display screen of the mobile phone terminal,

a terminal resolution discrimination means that discriminates the symbol image data transmitted to the mobile phone terminal on the basis of the resolution related information received, and

a symbol image data transmitting means that transmits the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal,

wherein the program causes the computer to function as:

a resolution related information storage means that stores the resolution related information,

a terminal-side symbol image data storage means that stores the symbol image data,

a symbol image data transmission request information transmitting means that transmits the symbol image data transmission requests and the resolution related information, and

a symbol image data receiving means that receives the symbol image data transmitted from the server.

18. (Original) A program according to Claim 17, that runs on a computer included in a mobile phone terminal capable of transmitting to and receiving image data from a server comprising:

a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

a server-side image data identification information transmission request information receiving means that receives server-side image data identification information transmission requests for transmission of the server-side image data identification information which is transmitted from the mobile phone terminal, and

a server-side image data identification information transmitting means that transmits the server-side image data identification information, upon receiving the server-side image data identification information transmission request information,

wherein the program causes the computer to function as:

a terminal-side image data identification information storage means that stores terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means,

an identification information transmission request information transmitting means that transmits the server-side image data identification information transmission requests to the server, before creating images displayed on the information display screen,

a server-side image data identification information receiving means that receives the server-side image data identification information transmitted from the server,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the server-side image data identification information and the terminal-side image data identification information received, and

the symbol image data transmission request information transmitting means that transmits the symbol image data transmission request information and the resolution related information to the server, when the symbol image data stored in the mobile phone terminal have been determined as not being the latest.

19. (Original) A program according to Claim 17, that runs on a computer included in a mobile phone terminal capable of transmitting to and receiving image data from a server comprising:

a server-side image data identification information storage means that stores server-side image data identification information constituting identification information of the symbol image data stored in the server-side symbol image data storage means,

the symbol image data transmission request information receiving means that receives the symbol image data transmission requests, the resolution related

information, and the terminal-side image data identification information constituting identification information of the symbol image data stored in the terminal-side symbol image data storage means which are transmitted from the mobile phone terminal,

a latest symbol image data discrimination means that discriminates whether the symbol image data stored in the mobile phone terminal are the latest data, on the basis of the terminal-side image data identification information and the server-side image data identification information received,

a latest data notice information transmitting means that transmits notice of information on the latest data indicating that the symbol image data stored in the terminal-side symbol image data storage means are the latest and does not transmit the symbol image data stored in the server to the mobile phone terminal, when the symbol image data stored in the mobile phone terminal have been determined as being the latest data, and

the terminal resolution discrimination means that discriminates the transmitted symbol image data on the basis of the resolution related information received, when the symbol image data stored in the mobile phone terminal have been determined as not being the latest.

wherein the program causes the computer to function as:

a terminal-side image data identification information storage means that stores the terminal-side image data identification information,

the symbol image data transmission request information transmitting means that transmits the symbol image data transmission requests, the resolution related

information, and the terminal-side image data identification information to the server,
before creating images displayed on the information display screen, and

a latest data notice information receiving means that receives notice of
information on the latest data indicating that the symbol image data stored in the
terminal-side symbol image data storage means are the latest data.

20. (Original) A program that runs on a computer included in a server capable of
transmitting to and receiving image data from a mobile phone terminal comprising:

an information display screen on which information is displayed,

a resolution related information storage means that stores resolution related
information pertinent to the resolution of the information display screen,

a display image data transmission request information transmitting means that
transmits display image data transmission requests to transmit display images arranged
on the information display screen and the resolution related information to the server,
and

a display image data receiving means that receives display image data
transmitted from the server,

wherein the program causes the computer to function as:

a server-side symbol image data storage means that stores the symbol image
data which are used to create the display images partly constituting specific graphic
symbols, in correspondence with the resolution of the information display screen of the
mobile phone terminal,

a display image data transmission request information receiving means that receives the display image data transmission requests and the resolution related information which are transmitted from the mobile phone terminal,

a terminal resolution discrimination means that discriminates the symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal on the basis of the received resolution related information,

a display image creation means that creates the display images arranged on the information display screen of the mobile phone terminal, using the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal, and

a display image data transmitting means that transmits the display image data constituting the data of created display images.

21. (Original) A program that runs on a computer included in a mobile phone terminal capable of transmitting to and receiving image data from a server comprising:

a server-side symbol image data storage means that stores symbol image data which are used in creating display images partly constituting specific graphic symbols arranged on the information display screen of the mobile phone terminal,

a display image data transmission request information receiving means that receives display image data transmission requests to transmit the display images arranged on the information display screen, and the resolution related information

pertinent to the resolution of the information display screen of the mobile phone terminal,

a terminal resolution discrimination means that discriminates the symbol image data in correspondence with the resolution of the information display screen of the mobile phone terminal, on the basis of the resolution related information received,

a display image creation means that creates the display images arranged on the information display screen of the mobile phone terminal, using the symbol image data which is discriminated by the terminal resolution discrimination means in correspondence with the resolution of the information display screen of the mobile phone terminal, and

a display image data transmitting means that transmits display image data constituting the data of created display images,

wherein the program causes the computer to function as:

a resolution related information storage means that stores resolution related information pertinent to the resolution of the information display screen on which information is displayed,

a display image data transmission request information transmitting means that transmits display image data transmission requests to transmit the display images arranged on the information display screen and the resolution related information to the server, and

a display image data receiving means that receives the display image data transmitted from the server.

22. (Currently Amended) A computer-readable recording medium in which any
of the programs according to ~~Claims~~ Claim 14 to ~~Claim~~ 21 is recorded.